# **PRODUCT LISTING**

**25 Years of PRO Driven Innovation** 

## **TimberLOK**<sup>®</sup>

Structural Wood Screw







#### Features:

- Faster and easier than 3/8" lag screws
- Countersinking hex head style
- ProjectLife Guaranteed
- Approved in treated wood
- Code Compliant Evaluation Report ICC-ES ESR-1078

Lengths: 2-1/2", 4", 6", 8", 10"

#### **Packaging Quantities:**

Single fastener, 12pc clamshell, 50pc box, 250pc bucket, 500pc bucket (2-1/2" only)



#### **HeadLOK**<sup>®</sup> Structural Wood Screw

### **NEW** TORX<sup>®</sup> ttap<sup>®</sup>





#### Features

- TORX<sup>®</sup> ttap<sup>®</sup> Drive System delivers superior bit engagement for a stable wobble-free installation
- ProjectLife<sup>™</sup> Coating with superior corrosion protection guaranteed for the life of the project
- Code-Compliant, tested and supported by engineering data that conforms to ICC-ES ESR-1078

Lengths: 2-7/8", 4-1/2", 6", 8", 10" additional sizes also available

Packaging Quantities: Single fastener, 12pc clamshell, 50pc box, 250pc bucket, 500pc bucket (2-7/8" only)



## **LedgerLOK**<sup>®</sup>

Structural Wood Screw



FLAT HEAD STYLE





Lengths: 3-5/8", 5"

• Replaces traditional 1/2" lag screws

#### **Packaging Quantities:**

• TORX<sup>®</sup> ttap<sup>®</sup> Drive System on Flat Head style

Approved for treated wood

 Code-Compliant Evaluation Report ICC-ES ESR-1078

ProjectLife Coating

Single fastener, 12pc clamshell, 50pc box, 250pc bucket



## **FastenMaster** PRO Driven

Features:

## FastenMaster VersaLOK®

Structural Wood Screw



#### Features:

- Faster and easier than 1/2" Lags
- Attractive flush mount flat head
- TORX<sup>®</sup> ttap<sup>®</sup> drive system
- ProjectLife Coating
- Approved for treated lumber
- IBC/IRC Code-Compliant ESR-1078

Lengths: 6", 8", 10"

#### Packaging Quantities:

Single fastener, 50pc box



## **FlatLOK**<sup>®</sup>

Structural Wood Screw







#### Features:

- Strip-out resistant #40 TORX<sup>®</sup> ttap<sup>®</sup> drive system
- Guaranteed corrosion resistance
- ACQ approved
- Approved for single-sided installationCode compliant based on testing per
- ICC-ES AC233

Lengths: 2-7/8", 3-1/2", 4", 4-1/2", 5", 6", 6-3/4"

#### **Packaging Quantities:**

50pc box, 250pc bucket, 500pc bucket (2-7/8" only) 200pc bucket (6-3/4" only) Single fasteners also available in select sizes



## **ThruLOK**<sup>®</sup>

Through-Bolt Replacement







#### Features:

- Faster, easier than 1/2" through-bolts
- No drill bits or wrenches required
- Galvanized coating meets code requirements for treated wood
- Code-Compliant Evaluation Report ICC-ES ESR-1078

• ProjectLife guaranteed

Lengths: 6-1/4", 7", 8", 9-1/2"

#### Packaging Quantities:

Single fastener, 24pc box



## **FrameFAST**<sup>™</sup>

Structural Framing System



#### FrameFAST Tools:

- Maximize safety and productivity with the FrameFAST installation tool.
- Make code compliant connections without the use of a ladder.
- 3 interchangeable heads ensure consistent installation of the fastener in a variety of continuous load path applications.
- Fully assembled tools complete with cordless drivers by Milwaukee and DEWALT
- Scan the QR code for more information and to see FrameFAST tool in action.

#### The FrameFAST Fastener:

FrameFast replaces common hurricane ties and is installed without the need for compressors, nailers, and hoses. The updated FrameFAST fastener gives PROs the choice of using a standard impact driver or the award winning FrameFast Tool.

- 5x Faster: Code approved connections are made in a fraction of the time verses installing a hurricane clip.
- Easy to Install: Featuring a TORX<sup>®</sup> ttap<sup>®</sup> drive and free alignment guide included in every package.
- ProjectLife<sup>™</sup> Guarantee: Performance and corrosion protection is guaranteed for the life of the project.
- Approved for use in exterior applications including pressure treated wood(ACQ). Not recommended for use in saltwater applications.

#### **Packaging Quantities:**

- 50pc box with 2" TORX® ttap® drive bit and FrameFAST Truss-to-Top Plate Alignment Guide
- 6 boxes per master
- 250pc bucket with 2" and 6" TORX<sup>®</sup> ttap<sup>®</sup> drive bits and FrameFAST Truss-to-Top Plate Alignment Guide





## **NLB Connector**<sup>™</sup>

For Non-Load Bearing Wall to Truss Connections



#### Features:

- Provides lateral stability to non-load bearing walls while allowing vertical movement of structural members above
- Installs 8x faster while workers stand safely of the floor
- Code compliant, ACQ Approved
- Lengths: 6"

#### **Packaging Quantities:**

50pc box with NLB Connector screws pre-assembled with sleeves, 1 NLB setting tool and 1 hex driver bit





## **FastenMaster PRO** Driven





#### **PAMFast** Tools:

- Fasten subfloor and decking while standing comfortably or convert to a short tool to fasten drywall, roof tiles, and more
- Fully assembled tools come complete with cordless screw guns by DEWALT and Makita or chose a kit to attach to your own screw gun\*

\*PAMFast tool kits are compatible with specific model screw guns manufactured by DEWALT and Makita only. Visit Fastenmaster.com for list of compatible screw guns.

#### The PAMFast System:

- 2-in-1 interchangeable length tool is a versatile whole home fastening system.
- Smooth Advancement Technology delivers consistent fastening with no jams.
- PAMMax fastener belt holds up to 40% more fasteners so workers spend more time driving screws and less time reloading.
- PAMFast Fasteners: Featuring PAMDrive 6-lobe recess for improved bit life and fewer cam-outs

#### **Packaging Quantities:**

50 screws per strip, 1,000 screws per box, 6 boxes per master carton





## **Deck Frame Coating**

Rubberized Protective Waterproofing Membrane







#### Features:

- Extends Life Of The Deck Frame Lasting moisture barrier protection
- Fast And Clean Application No mess coverage with less jobsite waste
- Dries in as little as 20 minutes\*\* Full moisture barrier in 24 hours
- Coats Hard-To-Reach Places Use in corners tape cannot reach

#### **Packaging Quantity:**

1 gallon bucket



## Cortex<sup>®</sup> Deck

Hidden Fastening System for Decking

Close up of pre-aligned grain plug

## Cortex<sup>®</sup> FASCIA

Hidden Fastening System for Fascia

#### Features:

Features:

for a perfect match

drive system

Length: 2-1/2"

• Engineered for fascia expansion/contraction

• Collated on strips with pre-aligned grain for faster and more precise installation • Plugs made from specific deck boards

• Approved for treated wood framing Strip-out resistant #20 TORX<sup>®</sup> ttap<sup>®</sup>

**Packaging Quantities (Collated):** 

- Plugs made from Trex fascia board
- Strip-out resistant #20 TORX<sup>®</sup> ttap<sup>®</sup> drive system
- Perfect color match

#### **Packaging Quantities:**

50 LF (100 screws, 105 plugs, 1 counterbore tool and 1 setting tool)

Length: 1-3/4"



Scan to view a list of all board/color offerings







## **Cortex**<sup>®</sup> Trim

Hidden Fastening System for PVC Trim







Close up of pre-aligned grain plug

#### Features:

- Installs 50% faster with collated plugs
- Strip-out resistant #20 TORX<sup>®</sup> ttap<sup>®</sup> drive system
- Dual Lead Fastener Thread installs 50% faster than traditional fasteners

Lengths: 2", 2-3/4"

#### Packaging Quantities: (Loose Plugs)

50 LF (75 screws, 100 plugs, 1 set. tool) 250 LF (375 screws, 400 plugs, 3 set. tools) 750 LF (1125 screws, 1200 plugs, 6 set. tools)

**Packaging Quantities: (Collated Plugs)** 250 LF (375 screws, 400 plugs, 3 setting tools) 750 LF (1125 screws, 1200 plugs, 6 setting tools)



## FastenMaster. PRO Driven

## TrapEase® 3 Color Matched Deck Screw



#### Features:

- For PVC, capstock and composite decking
- Strip-out resistant #20 TORX<sup>®</sup> ttap<sup>®</sup> drive system
- Head painted to match board
- Corrosion and fade resistant
- Spotter<sup>™</sup> Installation Guide creates consistent board gapping and fastener placement


Lengths: 2-1/2", 3"

#### **Packaging Quantities:**



#### 75pc box, 350pc bucket, 1,050pc bucket

# TrapEase<sup>®</sup> FASCIA Color Matched Fascia Screw



#### **Features:**

- Engineered for fascia expansion and contraction
- Head painted to color match fascia board
- Strip-out resistant #20 TORX<sup>®</sup> ttap<sup>®</sup> drive system
- Corrosion and fade resistant
- Offered in 18 different colors ensuring a perfect color match

Length: 1-3/4"

#### **Packaging Quantities:**

100 LF kit complete with 200 screws, 1 counterbore tool, and 1 driver bit





## Tiger Claw

Hidden Fastening Systems for Grooved Decking







#### Features:

- Automatically gaps decking
- Quick and easy installation
- Clean, fastener-free appearance
- Stainless steel for superior durability
- and ultimate corrosion resistance Strong connection between decking and joists

#### Packaging Quantities:

50 SF bag with hand driven screws (90 clips per bag) plus screws

500 SF bucket for use with pneumatic gun (900 clips per bucket)





First Time User **Program Sign** up Here!

## FastenMaster MVP<sup>™</sup>

Multipurpose Wood Screw



## GuardDog

Exterior Wood Screw

#### Features:

- TORX<sup>®</sup> ttap<sup>®</sup> drive system wobble-free drive
- SureStart<sup>™</sup> Point for fast starts
- ProjectLife<sup>™</sup> Coating with
- superior corrosion protection
- SureSink<sup>™</sup> Head prevents spin-out
- For Framing, Cabinetry & More

Lengths: 1-1/2", 2", 2-1/2", 3", 3-1/2", 4"

#### Packaging Quantities:

100pc box, 250pc bucket, 500pc bucket, 1250pc bucket, 1600pc bucket, 2000pc bucket



Features:

- TORX<sup>®</sup> ttap<sup>®</sup> Drive System
- delivers stick fit, wobble free installation
- Sharp Type 17 Point for quick installationUV Resistant to fading or chalking
- Guaranteed Corrosion resistance
- For the life of the projectNibs under the head deliver a clean
- Nibs under the head deliver a clean finished look

Lengths: 1-5/8", 2", 2-1/2", 3", 3-1/2"

• Meets IRC lateral load requirements for decks

No interior access needed to install

#### **Packaging Quantities:**

Guaranteed galvanizedNo pre-drilling required

ProjectLife guaranteed
Packaging Quantities:

(4) Lateral Tension Brackets

(32) Bracket Mounting Screws

Each kit contains:

(4) Transfer Screws

(2) Driver Bits

75pc box, 350pc box, 1,750pc bucket, 1,350pc bucket (3-1/2" only)



## Lateral Tension System

Code Compliant Lateral Deck Attachment











60