

Delivering PRO Driven Service Nationwide



Hands-on Jobsite Support for PROs

By offering hands-on product training, on-site technical support, and tailored solutions, we aim to establish a strong partnership with PRO contractors. We understand the unique challenges faced by contractors and aim to provide the necessary support and resources to help them succeed on their jobsites.



Dealer Training and Merchandising

We strive to establish valuable partnerships with our retail partners by offering comprehensive support via our dedicated field sales team such as on-site product training and dynamic merchandising setups. Our strong relationships with PRO contractors helps our dealers to maximize their sales potential and deliver a positive customer experience.



New Construction Engineering Team

Our engineering team is committed to providing unparalleled support to building designers and engineers, offering direct assistance and technical expertise. Plus, our field team collaborates closely throughout the entire design and construction process to facilitate successful project execution.



How to Connect with FastenMaster

Call us: 800.518.3569
Email us: info@fastenmaster.com
Follow us: @fastenmasterpro
Visit us: [fastenmaster.com](https://www.fastenmaster.com)

Scan to contact your local representative here:



2026 PRODUCT GUIDE



Over 25 Years of PRO Driven Innovation



TimberLOK
1998



LedgerLOK
2006



Cortex
2008



Deck Frame Coating
2025



FastenMaster ZipClip™
2026



FastenMaster is a division of OMG Building Products, LLC.
All rights reserved. 153 Bowles Road, Agawam, MA 01001



Table of Contents

Deck & Trim Fastening	
Cortex® Hidden Fastening System for Decking	7
Cortex® Hidden Fastening System for Fascia	9
Cortex® Hidden Fastening System for PVC Trim	10
FastenMaster ZipClip™ Hidden Deck Fastener	11
Tiger Claw® Hidden Fastening Systems for Grooved Decking	15
TrapEase® Color Matched Deck Screw	17
TrapEase® Fascia Color Matched Fascia Fastener	18
GuardDog® Exterior Wood Deck Screw	19
Structural Fasteners	
TimberLOK® Structural Wood Screw	23
HeadLOK® Structural Wood Screw	25
LedgerLOK® and LedgerLOK® Flat Head Structural Wood Screw	27
FastenMaster VersaLOK™ Structural Wood Screw	29
FlatLOK® Structural Wood Screw	31
ThruLOK® Through-Bolt Replacement	33
MarineLOK™ Stainless Structural Screw	35
Lateral Tension System® Code-Compliant Lateral Deck Attachment	37
Deck Frame Coating™	39
Ground Contact Coating™	41
Framing Systems	
FrameFAST™ Structural Fastening System	45
NLB Connector™ For Non-Load Bearing Wall to Truss Connections	47
PAMFast™ AutoFeed Fastening System	49
PAMFast™ AutoFeed Screws	51
Product Ordering Information	
Color Match Guides	53
SKU Listings	57

At FastenMaster, Everything We Do Is PRO Driven

FastenMaster is committed to supporting our professional contractors’ businesses by developing innovative products and services. Our wide range of products, including those for residential decking, structural fastening, remodeling, and wood framing, offer unique benefits to remodelers, professional deck builders, residential framers, and home builders. In addition, our nationwide sales team regularly collaborates on the jobsite with PROs to gain a comprehensive understanding of their business practices and product needs. This hands-on approach enables us to develop products that save time, reduce installation cost, and build to a high level of craftsmanship.



Improving PROs’ Businesses Through Craftsmanship

At FastenMaster we know that having the strongest and most secure connections isn’t enough. What separates the best PRO contractors is their attention to detail and creative solutions to complex problems. Throughout our history we have brought game changing technologies to our PROs that have given them more flexibility to be creative and deliver premium solutions to their customers. Whether it's designing a dynamic outdoor living space with Cortex hidden plugs and FastenMaster ZipClip™ hidden clips or framing an architectural showpiece with FrameFAST, FastenMaster will always be working alongside our PROs on their most difficult and unique projects.




Photo courtesy of Elite Decks



Photo courtesy Casey Fence & Deck

Improving PROs’ Businesses Through Innovation

For the last 25 years FastenMaster, a division of OMG Building Products, LLC., has worked side-by-side with top PRO contractors as we’ve developed the most innovative structural, decking and framing fastening solutions in the industry. Our American-based engineering and manufacturing teams have enabled us to develop cutting-edge fastening solutions that reduce installed cost, increase structural integrity and reflect a pride in craftsmanship. That’s why thousands of top builders have made FastenMaster their preferred product, providing them with the confidence they need to take on any project.



Improving PROs’ Businesses Through American Manufacturing

Between our manufacturing facilities in Agawam, MA and Addison, IL, our logistics center in Glendale Heights, IL and our nationwide sales organization, the entire team at FastenMaster is driven to improve our professional contractors’ businesses. With over 650 team members specializing in everything from manufacturing and new product development to customer support and logistics, we have the knowledge and experience to deliver a uniquely American level of service and support. Whether you have a question for our technical team, are placing an order with our inside sales team, or training with your local sales representative, we are ready to provide the best experiences in the industry.



Deck & Trim Fastening

From strong substructures to a stunning finish, decking solutions that save time and deliver long-term results.



Elevate Your Decking Craftsmanship

FastenMaster has spent decades listening to top PRO contractors as we’ve developed the most comprehensive deck and trim fastening solutions in the industry. We understand that craftsmanship requires the need to deliver superior quality with a flawless finished look. That’s why thousands of premiere deck builders have made FastenMaster their preferred choice for delivering strong substructures with a stunning finish.

Cortex® Hidden Fastening System for Decking and Fascia	7
• Now with pre-aligned grain plugs on collated strips • Plugs made from deck or fascia board for perfect match • TORX® ttap® drive system • Decking Screw Length: 2-1/2" • Fascia Screw Length: 1-3/4" • Metal Framing: 1-5/8"	
Cortex® Hidden Fastening System for PVC Trim	10
• Collated strips install 50% faster • TORX® ttap® drive system • Lengths: 2", 2-3/4"	
FastenMaster ZipClip™ Hidden Deck Fastener	11
• Fastest Installation – Builds decks faster and easier • Precision Accuracy – Higher quality finished deck • Versatile Clip Design – Easy placement and fine tuning	
Tiger Claw® TC-G® Hidden Fastening Systems for Grooved Decking	15
• Quick and easy installation • Universal compatibility with grooved decking • Stainless steel for superior durability • Works with the Tiger Claw Pneumatic Installation Gun for even fastener installation	
TrapEase® Color Matched Deck and Fascia Fasteners	17
• Heads painted to match most popular board colors • TORX® ttap® drive system • Fascia fasteners engineered for fascia expansion/contraction • Deck Screw Lengths: 2-1/2", 3" • Fascia Screw Length: 1-3/4"	
GuardDog® Exterior Wood Deck Screw	19
• Guaranteed corrosion resistance • UV resistant to fading and chalking • TORX® ttap® drive system • Lengths: 1-5/8", 2", 2-1/2", 3", 3-1/2"	



Close up of pre-aligned grain plug




Cortex® Hidden Fastening System For Decking

- Features:**
- Collated on strips with pre-aligned grain for faster and more precise installation
 - Plugs made from specific deck boards for a perfect match
 - Approved for treated wood framing
 - Strip-out resistant #20 TORX® tap® drive system
- Packaging Quantities (Collated):**
100 LF (224 screws, 240 plugs, 2 set. tools)
300 SF (1050 screws, 1200 plugs, 6 set. tools)
- Length:** 2-1/2"

Description:
The Cortex® Hidden Fastening System is the fastest, easiest way to hide the heads of your deck screws across the entire deck, first and last board, perimeter, and stairs. Cortex plugs are made from the same material as market-leading deck boards.

Complete Hidden Fastening System:
Combine the versatility of Cortex for first board, last board, perimeter boards and stairs with the speed and ease of the FastenMaster ZipClip™ for the field of the deck to get a beautiful fastener-free surface.

ProjectLife™ Coating:
The performance and corrosion protection of Cortex is guaranteed for the life of the project.



Complete Decking Kits with Collated Cortex Plugs & Screws:
Every decking color is available in kits complete with screws, plugs and setting tools.



Collated Cortex Decking Kits			
Board	Coverage	Contents	SKU
Trex	100 LF	224 screws, 240 plugs, 2 setting tools	FMCTXCLTX1LF****
	300 SF	1050 screws, 1200 plugs, 6 setting tools	FMCTXCLTX300****
Fiberon PVC	100 SF	350 screws, 400 plugs, 3 setting tools	FMCTXCLFB****
Fiberon Composite	100 SF	350 screws, 360 plugs, 3 setting tools	FMCTXCLFB****

**Selecting SKU/Board Color: When ordering, combine SKU column with deck color match guide on page 53. Example: Trex Select 300 SQFT Saddle = FMCTXCLTX300SLSD

Stainless Steel Fasteners Only:
Cortex screws made with 316 marine grade stainless steel for coastal applications.

Driller Screws for Metal Framing Only:
1-5/8" 410 coated stainless steel screws designed for steel or aluminum deck framing.



Cortex Screws Only				
Screw Packs	Length	SKU	Coverage	Packaging Quantity
316 Stainless Steel	2-1/2"	FMCTX212SS316-350	100 SF	350 screws, 1 setting tool
Driller	1-5/8"	FMCTXD-100NP		



Scan to find
your color match



See a complete listing of color offerings
on page 50–52 or scan the QR code

Collated Cortex Plugs Only		
Board	Contents	SKU
Trex	400 plugs, 1 setting tool	FMCTXQUAD-400****
	80 ct replacement plugs	FMCTXQUAD-TX80****
Fiberon PVC	400 plugs, 1 setting tool	FMCTXQUAD-FB****
Fiberon Composite	360 plugs, 1 setting tool	FMCTXQUAD-FB****

**Selecting SKU/Board Color: When ordering, combine SKU column with deck color match guide on page 53.
Example: Trex Transcend Island Mist = FMCTXQUAD-400TSLM



**Collated
Cortex Plugs
Are Now
Available!**



Cortex Collated AutoFeed Screws®

Now compatible with *PAMFast* AutoFeed Tool

Install Screws Standing Up! Cortex Screws can now be installed through the FastenMaster PAMFast AutoFeed Tool dramatically reducing installation time!

- Features:**
- Stand-Up installaion – 3X Faster
 - No Predrilling Required*
 - Compatible with most Cortex supported boards



First Time User Program

Buy a PAMFast AutoFeed Tool and get FREE screws & plugs!



SCAN HERE

Cortex Collated AutoFeed Screws			
Length	Mfg SKU	Coverage	Contents
2-1/2"	FMCTX212-AF1050	300 SF	(1,050) Screws, (1) Driver Bit, (2) Nose Guards and (1) Depth Guide
	FMCTX212-AF1050SS		(1,050) Stainless Steel Screws, (1) Driver Bit, (2) Nose Guards and (1) Depth Guide

*Please refer to Cortex Collated AutoFeed installation instructions (found on box) before use. Only SD-20-DWVC13KUE is compatible with Cortex.

See page 49 for full PAMFast information.



Cortex® FASCIA Hidden Fastening System

- Features:**
- Engineered for fascia expansion/contraction
 - Plugs made from fascia board
 - Strip-out resistant #20 TORX® ttap® drive system
 - Perfect color match

Packaging Quantities:
50 LF (100 screws, 105 plugs,
1 counterbore tool and 1 setting tool)

Length: 1-3/4"



Cortex FASCIA Selection Guide			
Length	Packaging Quantity	Coverage	SKU
1-3/4"	100 screws, 105 plugs, 1 counterbore tool, 1 setting tool	50 LF	Trex: FMCTXF-TX50****

***Selecting SKU/Board Color
When ordering, combine SKU column with deck color match guide on page 53. Example: Trex Transcend Tiki Torch = FMCTXF-TX50TSTT



Cortex® Hidden Fastening System For PVC Trim

Description:
The FastenMaster Cortex® Hidden Fastening System is the fastest, easiest way to hide fastener heads when installing PVC Trim. The finished look is virtually invisible.

ProjectLife™ Coating:
The performance and corrosion protection of Cortex Trim is guaranteed for the life of the project. Cortex Trim is not recommended for use in saltwater applications.

- Features:**
- Installs 50% faster with collated plugs
 - Strip-out resistant #20 TORX® ttap® drive system
 - Dual Lead Fastener Thread installs 50% faster than traditional trim fasteners

Lengths: 2", 2-3/4"

Packaging: (Loose Plugs)
50 LF (75 screws, 100 plugs*)
250 LF (375 screws, 400 plugs*)
750 LF (1125 screws, 1200 plugs*)

Packaging: (Collated Plugs)
250 LF (375 screws, 400 plugs*)
750 LF (1125 screws, 1200 plugs*)

*Setting tools included: 1 for 50LF, 3 for 250LF, 6 for 750 LF



Cortex Trim Selection Guide						
			2" Fastener		2-3/4" Fastener	
Board	Color	Coverage	Loose Plugs	Collated Plugs	Loose Plugs	Collated Plugs
Versatex	SM = Smooth TR = Timber Ridge	50 LF	N/A	FMCTXTCL-VT50**	N/A	FMCTXCL234-VT5**
		250 LF	N/A	FMCTXTCL-VT250**	FMCTXT234-VT250**	FMCTXTCL234-VT2**
		750 LF	N/A	FMCTXTCL-VT750**	FMCTXT234-VT750**	FMCTXTCL234-VT7**
Royal	SM = Smooth GN = Grain	50 LF	FMCTXT-RY50**	N/A	FMCTXT234-RY50**	N/A
		250 LF	FMCTXT-RY250**	FMCTXTCL-RY250**	FMCTXT234-RY250**	FMCTXTCL234-RY250**
		750 LF	FMCTXT-RY750**	FMCTXTCL-RY750**	FMCTXT234-RY750**	FMCTXTCL234-RY750**
Royal Select		250 LF	N/A	N/A	N/A	FMCTXTCL234-C2**
		FT = Frost LT = Latte WR = Wrought Iron		CN = Chestnut NA = Oceana PB = Pine Brook	GV = Grove WL = Willow SL = Shale	CL = Coastline CS = Castlestone RR = River Rock
Boral	SM = Smooth GN = Grain	50 LF	FMCTXT-BR50TE**	N/A	FMCTXT234-BR50TE**	N/A
		250 LF	FMCTXT-BR250TE**	N/A	FMCTXT234-BR2TE**	N/A
		750 LF	FMCTXT-BR750TE**	N/A	FMCTXT234-BR7TE**	N/A
Cortex #20 TORX® ttap® driver bits (2 Pack of Setting Tools)						FMCTXSETTOOL3-2PK

**Selecting SKU/Board Color
When ordering, please combine SKU column with board manufacturer color key.
Example: Cortex 250 LF fastener length 2-3/4" for Versatex Smooth = FMCTXT234-VT250SM
See replacement plug information on page 57.



FastenMaster ZipClip™

Hidden Deck Fastener

NEW
PRODUCT


The **Next Generation**
of Hidden Deck Fastening






Fastest Installation
Build decks faster and easier



Precision Accuracy
Higher quality finished deck



Versatile Clip Design
Easy placement and fine tuning



FastenMaster ZipClip™

Hidden Deck Fastener

- Features:**
- **Fastest Installation:** Clips slide easily into position after the boards are laid out, letting installers set spacing first and fasten second; eliminating the slow process of aligning clips.
 - **Versatile Clip Design:** One universal clip handles a variety of substructure conditions, including flat blocking, double joists, and hard-to-reach areas eliminating multiple types of clips.
 - **Effortless Adjustment:** Designed to make real world installs easier, the clip backs out smoothly for quick board adjustment or replacement; perfect for correcting misalignment without damaging the deck surface.



SKU	Coverage	Packaging Quantity
FMZIPCLIP-100	100 SF	180 ZipClips, T15 Driver Bit
FMZIPCLIP-300	300 SF	540 ZipClips, (2) T15 Driver Bits
FMZIPCLIP-500	500 SF	900 ZipClips, (4) T15 Driver Bits



Creates 1/4" gaps



Spacers slide in channel



Alignment Cone guides screw




Installs perfectly every time



FastenMaster Gapper™

Deck Board Spacer

- Features:**
- **Precision Accuracy:** Integrated spacing features ensure every board locks in with consistent, uniform gaps.
 - **Fail-Safe Tension:** Engineered tension keeps clips firmly seated and prevents over-pulling, protecting boards from damage.
 - **Lightweight & Durable:** Constructed from high-strength, corrosion-resistant materials that stay light in the hand but tough on the job.



SKU	Packaging Quantity
FMGAPPER-2PK	2 Gapper tools, 4 additional spacers

FastenMaster ZipStick™

Stand-Up Installation Tool

- Features:**
- **Stand & Drive:** Ergonomically designed to engage & drive clips from a standing position, reducing fatigue, improving speed, & stress.
 - **Lightweight & Durable:** Built from rugged, high-strength materials, delivering dependable performance and longevity through repeated use.
 - **Universal Compatibility:** A universal connection point fits virtually any variable-speed drill ensuring smooth & controlled fastening.



SKU	Packaging Quantity
FMZIPSTICK	1 FastenMaster ZipStick, 1 T15 Driver Bit



TC-G® and Installation Tools

Hidden Fastening Systems for Grooved Decking

- Features:**
- Automatically gaps decking
 - Quick and easy installation
 - Clean, fastener-free appearance
 - Stainless steel for superior durability and ultimate corrosion resistance
 - Strong connection between decking and joists
- Packaging Quantities:**
- 50 SF bag with hand driven screws (90 clips per bag) plus screws
 - 500 SF bucket for use with pneumatic gun (900 clips per bucket)

Description:
This stainless steel hidden fastening system is designed to be universally compatible with all grooved decking boards. Delivers fast and easy installation, resulting in smooth, fastener-free outdoor living spaces.

Complete Hidden Fastening:
Combine the versatility of Cortex for first/last board, perimeter boards and stairs with Tiger Claw TC-G® for the field of the deck to get a beautiful fastener-free surface.



ProjectLife™ Guaranteed:
The performance and corrosion protection of TC-G is guaranteed for the life of the project. TC-G is not recommended for use in saltwater applications.

Tiger Claw Clips and Fasteners			
Description	Coverage	Length	SKU
Tiger Claw TC-G 90pc Bag (for hand driving clips)	50 SF	1-5/8"	F-4058-TCGS
Tiger Claw TC-G Bulk Gun Pail (scrail not included)*	500 SF	N/A	F-5913-GNFS
Tiger Claw Scrail - Carbon Steel*	500 SF	1-1/2"	F-5906-GNSC
Tiger Claw Scrail - Stainless Steel*	500 SF	1-1/2"	F-6557-SSPS
Tiger Claw Butt Seam Clips	30 SF	1-5/8"	F-5969-TCBC



Tiger Claw Pneumatic Installation Gun
Semi-automatic installation tool that greatly increases the installation speed of TC-G clips. This tool can also be used with TimberTech®, CONCEALoc™, Cali Bamboo®, Clubhouse™ and ConnectClip™ fasteners.



First Time User Program

FastenMaster offers PROs a FREE pneumatic installation gun for first time user with the purchase of a minimum of (2) gun pails of clips. Visit FastenMaster.com for information or scan QR code.

Collated Pneumatic Screws
For use with the pneumatic installation gun. Available in coated & stainless steel.



Scan to sign up



Butt Seam Clip
Stainless steel clip used in conjunction with TC-G. Allows for single joist butt seam installation.



Slot Cutter
Creates a perfect groove for clips in square edge Trex® decking boards.



Tiger Claw Clip Installation Tools	
Description	SKU
Installation Gun for use with F-5906-GNSC and F-6557-SSPS pneumatic scrails	F-5899-IGUN
TC-G Slot Cutter specifically designed to cut grooves into square edge decking	R-5206-RB3V

(LB) LIGHT BROWN *Originally Saddle*



(BR) BROWN *Originally Spiced Rum*



(DB) DARK BROWN *Originally Woodland Brown*



(LG) LIGHT GRAY *Originally Rocky Harbor*



(GR) GRAY *Originally Pebble*



(DG) DARK GRAY *Originally Clam Shell*



(TN) TAN *Originally Rope Swing*



(VY) IVORY ***NEW Color***



NEW
Updated Colors!

TrapEase® Color Matched Deck Screw



Features:

- High Performance Head Coating; with UV, fade, & scratch resistant head coating matches leading board colors
- TORX® ttap® Drive System; with stick-fit wobble free installation
- ProjectLife™ Guarantee; warranted for the life of the project

Lengths: 2-1/2", 3"

Packaging Quantities:

75pc box, 350pc bucket, 1,050pc bucket

Description:

The TrapEase® Color Matched Deck Screws create a beautiful color matched finish in leading deck board brands - including Trex®, Fiberon®, Deckorators®, and more! The TORX® ttap® drive system offers stick-fit and wobble-free installation, virtually eliminating fastener stripping during installation or removal. TrapEase features a FREE Spotter Lid with the 350 buckets.

ProjectLife™ Coating:

The performance and corrosion protection of TrapEase is guaranteed for the life of the project. TrapEase is now available in 2-1/2" 316 Marine Grade Stainless Steel perfect for coastal and other near water applications.

TrapEase & Fascia Selection Guide					
SKU	Material	Application	Length	Coverage	Pack Quantity
FMTED-212-75**	Carbon Steel	Decking	2-1/2"	20 SF	75 screws, 1 driver bit
FMTED-212-350**				100 SF	350 screws, 2 driver bits, FREE Spotter Lid
FMTED-212-1050**				300 SF	1050 screws, 3 driver bits
FMTED-003-350**			3"	100 SF	350 screws, 2 driver bits, FREE Spotter Lid
FMTED-212-350SS**	Stainless Steel		2-1/2"		
FMTEF-1LF**	Carbon Steel	Fascia	1 3/4"	100 LF	200 fasteners, 1 setting tool

**Selecting SKU/Board Color
When ordering, please combine SKU column with board manufacturer color key
Example: TrapEase 100SF for Light Brown – FMTED-212-350LB



DECK BOARD MATCHING

See a complete listing of color offerings
on page 53 or scan the QR code



Scan to find
your color match



TrapEase® FASCIA Color Matched Fascia Fastener



Features:

- Engineered for fascia expansion and contraction
- Head painted to color match fascia board
- Strip-out resistant #20 TORX® ttap® drive system
- Corrosion and fade resistant

Length: 1-3/4"

Packaging Quantity:

Complete with 200 screws, 1 counterbore tool, and 1 driver bit

Description:

The strongest, fastest way to attach composite fascia. Designed to allow for Fascia board expansion and contraction, delivering beautiful finished look.





GuardDog Selection Guide			
Screw Length	Packaging Qty	Coverage	SKU
1-5/8"	75pc box	20 SF	FMGD158-75
	350pc box	100 SF	FMGD158-350
	1,750pc bucket	500 SF	FMGD158-1750
2"	75pc box	20 SF	FMGD002-75
	350pc box	100 SF	FMGD002-350
	1,750pc bucket	500 SF	FMGD002-1750
2-1/2"	75pc box	20 SF	FMGD212-75
	350pc box	100 SF	FMGD212-350
	1,750pc bucket	500 SF	FMGD212-1750
3"	75pc box	20 SF	FMGD003-75
	350pc box	100 SF	FMGD003-350
	1,750pc bucket	500 SF	FMGD003-1750
3-1/2"	75pc box	20 SF	FMGD312-75
	350pc box	100 SF	FMGD312-350
	1,350pc bucket	350 SF	FMGD312-1350
Driver bit for GuardDog w/ TORX Itap drive system (2 included)			FMGDTTAPT25-2PK



Guaranteed Corrosion Resistance:
The performance and corrosion protection of GuardDog is guaranteed for the life of the project. Approved for use in exterior applications including treated wood (ACQ, MCA, MCQ, CAB) and acidic woods like cedar and redwood. GuardDog is not recommended for use in saltwater applications.



GuardDog®

Exterior Wood Screw


- Features:**
- TORX® Itap® Drive System delivers stick fit, wobble free installation
 - Sharp Type 17 Point for quick installation
 - UV Resistant to fading or chalking
 - Guaranteed Corrosion resistance for the life of the project
 - Nibs under the head deliver a clean finished look


Lengths: 1-5/8", 2", 2-1/2", 3", 3-1/2"

Packaging Quantities:
75pc box, 350pc box, 1,750pc bucket, 1,350pc bucket (3-1/2" only)

Description:
GuardDog® is a versatile exterior wood screw used for a variety of applications including pressure treated decking, railings, deck framing and more.

TORX® Itap® Drive System
The TORX® Itap® drive system offers unmatched stick-fit and wobble-free installation, eliminating fastener stripping during installation or removal.





Structural Fasteners

The industry-leading LOK Line replaces traditional lag screws while meeting code and lowering cost.

We Invented The Structural Wood Screw. We Didn't Stop There.

In the two decades since FastenMaster created the structural wood screw category with TimberLOK, we have continued to lead the industry by providing innovative, application-specific fasteners that meet building code and help PROs finish jobs faster. It is our mission to improve our PRO contractors' businesses with code-compliant products by actively participating at their jobsites, understanding their problems, and developing products that deliver job-specific results.

TimberLOK® Structural Wood Screw	23
• Replaces 3/8" lag screws · Hex head drive	
• Lengths: 2-7/8", 4-1/2", 6", 8", 10"	
HeadLOK® Structural Wood Screw	25
• Replaces 3/8" lag screws · Flat head with SpiderDrive	
• Standard Lengths: 2-7/8", 4-1/2", 6", 8", 10"	
LedgerLOK® and LedgerLOK® Flat Head Structural Wood Screw	27
• Replaces 1/2" lag screws · Hex head or TORX® ttap® drive system	
• Lengths: 3-5/8", 5"	
FastenMaster VersaLOK™ Structural Wood Screw	29
• Replaces 1/2" lag screws · TORX® ttap® drive system	
• Lengths: 6", 8", 10"	
FlatLOK® Structural Wood Screw	31
• Replaces 1/2" lag screws · TORX® ttap® drive system	
• Lengths: 2-7/8", 3-1/2", 4", 4-1/2", 5", 6", 6-3/4"	
ThruLOK® Through-Bolt Replacement	33
• Replaces 1/2" carriage or through-bolts · Hex head drive	
• Lengths: 6-1/4", 7", 8", 9-1/2"	
MarineLOK™ Stainless Steel Structural Screw	35
• Replaces 1/2" lag screws · TORX® ttap® drive system	
• Lengths: 3", 4", 5", 6", 8", 10"	
Lateral Tension System® Lateral Deck Attachment	37
Deck Frame Coating™	39
• Extends life of the deck frame	
Ground Contact Coating™	41
• Formulated to protect ground contact wood projects	



TimberLOK® Structural Wood Screw

- Features:**
- No predrilling
 - Faster and easier than 3/8" lag screws
 - Countersinking head style
 - ProjectLife™ Guaranteed
 - Approved in treated wood
 - Code-Compliant Evaluation Report ICC-ES ESR-1078
- Lengths:** 2-1/2", 4", 6", 8", 10"
- Packaging Quantities:**
Single fastener, 12pc clamshell, 50pc box, 250pc bucket, 500pc bucket (2-1/2" only)

Description:
TimberLOK® is a heavy duty wood screw suitable for a wide variety of structural wood-to-wood applications such as headers, stair stringers, fences and more. TimberLOK requires no predrilling and is faster and easier than traditional lag screws.

Meet Code. Lower Cost.
TimberLOK is used by professional contractors nationwide to meet code and lower costs. *Meet Code:* Tested and proven to meet the most recent IRC/IBC requirements. *Lower Cost:* Requires no predrilling, saving time and labor.




TimberLOK Selection Guide			
Length	Typical Applications	Packaging Qty	SKU
2-1/2"	Doubling/sistering up 2x header or carrying beams	Single fastener	FMTLOK212-INDY
		12pc clamshell	FMTLOK212-12
		50pc box	FMTLOK212-50
		500pc bucket	FMTLOK212-500
4"	Attaching 2x to 4x structures - fencing	Single fastener	FMTLOK04-INDY
		12pc clamshell	FMTLOK04-12
		50pc box	FMTLOK04-50
		250pc bucket	FMTLOK04-250
6"	Replacing hurricane ties on rafters or trusses. Joining multiple 4x timbers	Single fastener	FMTLOK06-INDY
		12pc clamshell	FMTLOK06-12
		50pc box	FMTLOK06-50
		250pc bucket	FMTLOK06-250
8"	Building up 6x landscape walls	Single fastener	FMTLOK08-INDY
		12pc clamshell	FMTLOK08-12
		50pc box	FMTLOK08-50A
		250pc bucket	FMTLOK08-250
10"	Post and Beam construction	Single fastener	FMTLOK10-INDY
		12pc clamshell	FMTLOK10-12
		50pc box	FMTLOK10-50A
		250pc box	FMTLOK10-250



Installation Procedure:
TimberLOK should be installed using an impact driver or quality grade cordless drill (18V or greater). Choose the proper length so that threads fully engage the second piece. Bring washer head flush to wood surface or countersink head flush.

ProjectLife™ Guaranteed:
The performance and corrosion protection of TimberLOK is guaranteed for the life of the project. TimberLOK is not recommended for use in saltwater applications.





HeadLOK® Structural Wood Screw

Features

- TORX® ttap® Drive System delivers superior bit engagement for a stable wobble-free installation
- ProjectLife™ Coating with superior corrosion protection guaranteed for the life of the project
- Code-Compliant, tested and supported by engineering data that conforms to ICC-ES ESR-1078

Lengths: 2-7/8", 4-1/2", 6", 8", 10"
additional sizes also available

Packaging Quantities:

Single fastener, 12pc clamshell, 50pc box, 250pc bucket, 500pc bucket (2-7/8" only)

NEW Drive System

TORX T30 Compatible



Description

HeadLOK® is a heavy duty wood screw that does it all with an internal drive, flat head and now with a TORX® ttap® drive system. HeadLOK offers higher design shear than 3/8" lag screws with no predrilling. HeadLOK is ideal for many wood-to-wood applications including decks, fences, SIPs, kitchen cabinets and more. The patented TORX® ttap® drive system eliminates cam-out and improves installation speed.

Meet Code. Lower Cost.

HeadLOK is used by professional contractors nationwide to meet code and lower costs. **Meet Code:** Tested and proven to meet the most recent IRC/IBC requirements. **Lower Cost:** Requires no predrilling, saving time and labor.



HeadLOK Standard Selection Guide		
Length	Packaging Qty	SKU
2-7/8"	Single fastener	FMHLGMMT278-INDY
	12pc clamshell	FMHLGMMT278-12
	50pc box	FMHLGMMT278-50
	500pc bucket	FMHLGMMT278-500
4-1/2"	Single fastener	FMHLGMMT412-INDY
	12pc clamshell	FMHLGMMT412-12
	50pc box	FMHLGMMT412-50
	250pc bucket	FMHLGMMT412-250
6"	Single fastener	FMHLGMMT006-INDY
	12pc clamshell	FMHLGMMT006-12
	50pc box	FMHLGMMT006-50
	250pc bucket	FMHLGMMT006-250
8"	Single fastener	FMHLGMMT008-INDY
	12pc clamshell	FMHLGMMT008-12
	50pc box	FMHLGMMT008-50
	250pc bucket	FMHLGMMT008-250
10"	Single fastener	FMHLGMMT010-INDY
	12pc clamshell	FMHLGMMT010-12
	50pc box	FMHLGMMT010-50
	250pc bucket	FMHLGMMT010-250

Additional Length Selection Guide		
Length	Packaging Qty	SKU
3-3/4"	50pc bucket	FMHLGMMT334-50
	250pc bucket	FMHLGMMT334-250
5"	250pc bucket	FMHLGMMT005-250
7"	250pc bucket	FMHLGMMT007-250
8"	250pc bucket	FMHLGMMT008-250
9"	250pc bucket	FMHLGMMT009-250
10"	250pc bucket	FMHLGMMT010-250
11"	250pc bucket	FMHLGMMT011-250
12"	250pc bucket	FMHLGMMT012-250
13"	250pc bucket	FMHLGMMT013-250
14"	250pc bucket	FMHLGMMT014-250

HeadLOK TORX ttap Bits

2 TORX® ttap® bits per card FMHTAPT30BIT-2PK




ProjectLife™ Coating:

The performance and corrosion protection of HeadLOK is guaranteed for the life of the project. HeadLOK is not recommended for use in saltwater applications.

Flat Head With TORX® ttap® Drive:

The flat head installs flush, saving additional time and money. Plus, gain stronger bit engagement with the TORX® ttap® drive system.





FLAT HEAD STYLE



HEX HEAD STYLE



LedgerLOK® Structural Wood Screw

- Features:**
- No predrilling
 - Replaces traditional 1/2" lag screws
 - Hex washer head style on LedgerLOK
 - TORX® ttap® Drive System on Flat Head style
 - ProjectLife™ Coating
 - Approved for treated wood
 - Code-Compliant Evaluation Report ICC-ES ESR-1078

Lengths: 3-5/8", 5"

Packaging Quantities:

Single fastener, 12pc clamshell, 50pc box, 250pc bucket

Description:
LedgerLOK® are the first wood screws engineered to fasten a deck ledger board to the rim joist of a house with no predrilling. The hex-head version allows for greater bit engagement, reducing cam-out. The flat head version, with TORX® ttap® drive system, provides flush to ledger installation saving time and money.

Meet Code. Lower Cost.
LedgerLOKs are used by professional contractors nationwide to meet code and lower costs for making deck ledger connections. *Meet Code:* Tested and proven to meet the most recent IRC/IBC requirements for deck ledger to rim joist connection. *Lower Cost:* Requires no predrilling, saving time and labor.




LedgerLOK Selection Guide			
Length	Packaging Qty	Hex Style SKU	Flat Head SKU
3-5/8"	Single Fastener	FMLL358-INDY	FMLLF358-INDY
	12pc clamshell	FMLL358-12	FMLLF358-12
	50pc box	FMLL358-50	FMLLF358-50
	250pc bucket	FMLL358B-250	FMLLF358B-250
5"	Single Fastener	FMLO05-INDY	FMLOF005-INDY
	12pc clamshell	FMLO05-12	FMLOF005-12
	50pc box	FMLO05-50	FMLOF005-50
	250pc bucket	FMLO05B-250	FMLOF005B-250




Installation Procedure:
LedgerLOKs should be installed using an Impact driver or a high torque 1/2" variable speed drill. Choose the proper length so that threads fully engage the main member (i.e., rim joist). Bring washer flush to side member with hex head style, do not countersink. Bring head flush with ledger using the flat head style. *Not for use in masonry or concrete.*

For detailed installation instructions, including fastening requirements, please refer to our *Deck Ledger to Rim Joist technical bulletin*. These instructions are included in all box and bucket packaging as well as being available for download from our website. When using in non-ledger applications, a design professional should be consulted for all critical connections, which include the number and location of all fasteners to meet national and local code requirements.


ProjectLife™ Coating:
The performance and corrosion protection of LedgerLOK is guaranteed for the life of the project. LedgerLOK is not recommended for use in saltwater applications.



Flat Head Style



Hex Head Style





VersaLOK Screw SKU Selection Guide		
Length	Pkg Qty	SKU
6"	Single Fastener	FMVLO06-INDY
	50pc box	FMVL006-50
8"	Single Fastener	FMVLO08-INDY
	50pc box	FMVL008-50
10"	Single Fastener	FMVLO10-INDY
	50pc box	FMVL010-50

Installation Procedure:
VersaLOK should be installed using an impact driver or high torque 1/2" variable speed drill (minimum 18V if cordless). Choose the proper length fastener so that the threads fully engage the innermost member being attached. Bring the washer head flush to the surface. Not for use in concrete or masonry.

ProjectLife™ Coating:
The performance and corrosion protection of VersaLOK is guaranteed for the life of the project. VersaLOK is not recommended for use in saltwater applications.

Flat Head With TORX® ttap® Drive:
The flat head installs flush, saving additional time and money. Plus, gain stronger bit engagement with the TORX® ttap® drive system.



FastenMaster VersaLOK™ Structural Wood Screw




- Features:**
- No Predrilling
 - Faster and easier than 1/2" Lags
 - Attractive flush mount flat head
 - ProjectLife™ Coating
 - Approved for treated lumber
 - IBC/IRC Code-Compliant ESR-1078
 - TORX® ttap® drive system

Lengths: 6", 8", 10"

Packaging Quantities:
Single fastener, 50pc box

Description:
FastenMaster VersaLOK™ is a heavy-duty wood screw that can be used in a wide variety of structural applications. The performance and corrosion resistance of the VersaLOK fastener is guaranteed for the life of the project when used in accordance with the installation instructions and supporting technical literature.

Meet Code. Lower Cost.
Meet Code: VersaLOK has been tested and proven to meet the most recent IBC/IRC requirements.
Lower Cost: Requires no predrilling, saving time and labor.





FlatLOK® Structural Wood Screw

Features

- No predrilling
- #40 TORX® ttap® drive system
- ProjectLife™ Coating
- Approved for single-sided installation
- Code-Compliant Evaluation Report ICC-ES AC233

Lengths: 2-7/8", 3-1/2", 4", 4-1/2", 5", 6", 6-3/4"

Packaging Quantities:


Single fastener, 50pc box, 250pc bucket, 500pc bucket (2-7/8" only), 200pc bucket (6-3/4" only)

Description

FlatLOK® is designed for various multi-ply dimensional and engineered wood connections. FlatLOK is approved for single-sided installation. Not intended for use on exterior deck ledgers; FastenMaster LedgerLOK is designed specifically for that application.

Meet Code. Lower Cost.

FlatLOK delivers strong, code-compliant connection for multi-ply LVL, girder trusses and multi-ply lumber beams. **Meet Code:** Tested to meet manufacturers' requirements for single-sided installation of multi-ply LVL, LSL and PSL. **Lower Cost:** Requires no predrilling, saving time and labor.



FlatLOK Selection Guide			
Length	Typical Applications	Packaging Qty	SKU
2-7/8"	2-Ply Roof Girder Trusses	50pc box	FMFL278-50
		500pc bucket	FMFL278B-500
3-1/2"	2-Ply LVL Beams	Single fastener	FMFL312-INDY
		50pc box	FMFL312-50
4"	Interior Corridor Ledgers	250pc bucket	FMFL312B-250
		50pc box	FMFL004-50
4-1/2"	3-Ply Roof Girder Trusses	250pc bucket	FMFL004B-250
		50pc box	FMFL412-50
5"	3-Ply LVL Beams	250pc bucket	FMFL412B-250
		Single fastener	FMFL005-INDY
6"	4-Ply Roof Girder Trusses	50pc box	FMFL005-50
		250pc bucket	FMFL005B-250
6-3/4"	4-Ply LVL Beams	50pc box	FMFL006-50
		250pc bucket	FMFL006B-250
		Single fastener	FMFL634-INDY
		50pc box	FMFL634-50
		200pc bucket	FMFL634B-200



Installation Procedure:

FlatLOK should be installed using an impact driver or high torque 1/2" variable speed drill (minimum 18V if cordless). No predrilling is required when properly installed. Bring fastener flush with wood surface, do not overdrive.


ProjectLife™ Guaranteed:

The performance and corrosion protection of FlatLOK is guaranteed for the life of the project. FlatLOK is not recommended for use in saltwater applications.

FlatLOK Length Selection Guide					
A	B	C	D	E	F
1 3/4"	1 3/4"	1 3/4" 3 1/2"	1 3/4" 3 1/2" 1 3/4"	3 1/2"	1 3/4"
3-1/2"	5"		6-3/4"		

Footnotes

- Fasteners should be installed in a staggered pattern at least 1-3/4" from top or bottom edge and 3-3/4" from either end of the beam





ThruLOK® Through-Bolt Replacement

Features:

- No predrilling
- Faster, easier than 1/2" through-bolts
- No drill bits or wrenches required
- Galvanized coating meets code requirements for treated wood
- Code-Compliant Evaluation Report ICC-ES ESR-1078

Lengths: 6-1/4", 7", 8", 9-1/2"

Packaging Quantities:

Single fastener, 24pc box

Description:

The ThruLOK® System combines the strength of a through-bolted connection with the speed of a FastenMaster LOK fastener.

- 6-1/4": engineered to connect 4x4 posts to 2x joists
- 7": engineered to connect two 2x beams to a notched 6x6 post
- 8": engineered to connect 4x4 posts to a double rim joist or single rim joist and 2x blocking.
- 9-1/2": engineered to attach a 6x6 post two 2x beams

Meet Code. Lower Cost.

Meet Code: ThruLOK has been tested to meet the most recent IBC/IRC requirements for guard post to rim joist connections.
Lower Cost: Requires no predrilling, saving time and labor.



ThruLOK Screw Selection Guide			
Length	Wood Dim Range	Pkg Qty	SKU
6-1/4"	4-1/2" to 5-1/4"	Single Fastener	FMTHR614-INDY
		24pc box	FMTHR614-24
7"	5-1/4" to 6"	Single Fastener	FMTHR007-INDY
		24pc box	FMTHR007-24
8"	6-1/4" to 7"	Single Fastener	FMTHR008-INDY
		24pc box	FMTHR008-24
9-1/2"	7-3/4" to 8-1/2"	Single Fastener	FMTHR912-INDY





Installation Procedure:

No predrilling required when properly installed. Put the ThruLOK washer on the screw with the teeth of the washer facing away from the head of the fastener. Using a 1/2" high torque variable speed drill (18V if cordless), drive the ThruLOK until washer and hex-head are just above the wood surface (approx. 1/4") and point of screw protrudes out other side of connection. Thread the nut onto point of fastener. Tighten nut until flush with wood. Tighten screw with drill. **NOTE: Point of fastener must engage in nut to "MIN" line or beyond.**

For detailed installation instructions, including fastening requirements, please refer to our *ThruLOK Deck Post and Carrying Beam technical bulletins*. These instructions are included in all packaging as well as being available for download from our website. A design professional should be consulted for all other critical connections, to include the number and location of all fasteners to meet national and local code requirements.

ProjectLife™ Guaranteed:

The performance and corrosion protection of ThruLOK is guaranteed for the life of the project. ThruLOK is not recommended for use in saltwater applications.





MarineLOK SKU Selection Guide		
Length	Pkg Qty	SKU
3"	30pc box with T50 driver bit	FMMLOK003-30
4"		FMMLOK004-30
5"		FMMLOK005-30
6"		FMMLOK006-30
8"		FMMLOK008-30
10"		FMMLOK010-30

Installation Procedure:

MarineLOK should be installed using an impact driver or high torque 1/2" variable speed drill (minimum 18V if cordless). Choose the proper length fastener so that the threads fully engage the innermost member being attached. Bring the washer head flush to the surface. Not for use in concrete or masonry.

Marine Grade 316 Stainless Steel:

With the highest level of corrosion protection, MarineLOK is designed for use in harsh environments including coastal applications within 1,000 ft of salt water. See our full stainless steel warranty at fastenmaster.com.

Flat Head with T50 Drive System:

Maximum bit engagement for a strong, stable drive.



Scan for
more information
on MarineLOK



**NEW
PRODUCT**

MarineLOK™

Stainless Steel Structural Screw



Features:

- 316 Marine Grade Stainless Steel
- SureStart™ ThreadPoint for faster starts
- SureSink™ Head for clean finished look
- Faster and easier than 1/2" Lags
- No Predrilling
- IBC/IRC Code-Compliant ESR-1078

Lengths: 3", 4", 5", 6", 8", 10"

Packaging Quantity:
30pc box

Description:

MarineLOK™ is a heavy duty wood screw that replaces 1/2" lag screws ideal for coastal wood-to-wood connections like decks, docks, boardwalks, boat houses & more!


Meet Code. Lower Cost.

Meet Code: MarineLOK has been tested and proven to meet the most recent IBC/IRC requirements.
Lower Cost: Requires no predrilling, saving time and labor.



+316+

MARINE GRADE STAINLESS STEEL
DESIGNED FOR CORROSIVE ENVIRONMENTS






Lateral Tension System™

Code Compliant Lateral Deck Attachment

- Features:**
- Meets IRC lateral load requirements for decks
 - Guaranteed galvanized
 - No pre-drilling required
 - No interior access needed to install
 - Free bits in every package

Packaging Quantities:
Each kit contains:
(4) Lateral Tension Brackets
(4) Transfer Screws
(32) Bracket Mounting Screws
(2) Driver Bits



Description:
Lateral Tension System™ (LTS) is a complete kit designed to meet the newest code for transferring lateral deck loads. The International Residential Code (IRC) requires that decks be designed to withstand 750 pounds of lateral load in four locations along the ledger. LTS allows for attachment from the deck joist then directly to an interior sill plate, wall plate or stud – all from the outside.




Lateral Tension System Selection Guide	
Contents	SKU
(4) Lateral Tension Brackets, (4) Transfer Screws, (32) Bracket Mounting Screws, (2) Driver Bits	FMLTS-4


Installation Procedure:
The LTS is approved for the five most common installation conditions:
Condition A: Sill Plate or Wall Plate Behind Ledger
Condition B: Sill Plate or Wall Plate Directly Below Ledger
Condition C: Sill Plate or Wall Plate 2" – 5" below Ledger
Condition D: Wall Stud in line with Deck Joist
Condition E: Wall Stud between Deck Joists

The FastenMaster LTS, is one complete kit to make all five of these code conforming connections. Each LTS bracket attaches an individual deck joist to a structural framing member of the house. With the LTS, you can install the fastener first and then add the bracket. The long fastener allows you to achieve the 3" of threading within the sill plate without having to access the interior of the house. You can achieve the code complaint connection in seconds.


ProjectLife™ Guaranteed:
The performance and corrosion protection of LTS is guaranteed for the life of the project. LTS is not recommended for use in saltwater applications.




Tension Transfer Screw



Bracket Mounting Screw



LTS Bracket Top View



LTS Bracket Profile





Deck Frame Coating™

Rubberized Protective Waterproofing Membrane

Features:

- Extends life of the deck frame.
- Creates a lasting moisture barrier protection
- Fast and clean application.
- No mess coverage with less jobsite waste
- Dries in as little as 20 minutes.
- Sets fast for deck board installation
- Coats hard-to-reach places.
- Use in corners tape cannot reach

Packaging Quantities:

1 gallon bucket

Extend the Life of Your Deck Frame!

FastenMaster Deck Frame Coating extends the life of your deck substructure by creating a protective moisture barrier that deters wood rot and decay on deck joists, beams, ledgers, stair stringers and posts.

Deck Frame Coating Selection Guide

Description	Coverage	SKU
1 gallon bucket	450 LF	FMDFC-1GAL

For a full written warranty, additional engineering data and technical support visit FastenMaster.com.

*Approximate coverage per gallon at 20mil or .5mm dry film thickness

**High temperature and / or high humidity may extend set time.



**Extend the life of your deck frame
by creating a lasting moisture
barrier in all critical areas!**



Application:

FastenMaster's Deck Frame Coating can be applied using a standard bristle paint brush or a heavy duty, 3/8" nap roller. It is recommended to apply a generous and consistent single layer of coating.

- Apply in temperatures above 40 °F / 4 °C.
- Freeze/thaw stable when cured.
- Product is in a liquid state, protect from freezing.
- If product was frozen, allow 12 hours of thaw time before use.
- Fast dry formula sets in as little as 20 minutes.**
- Full cure in 24 hours @ 70°F/21°C and 50% humidity.**
- Do not apply to dirty/contaminated or wet surfaces.
- Coating remains slightly tacky when cured.

Clean Up:

Clean skin or building materials using soap & warm water. Mineral Oil or Baby Oil can be used. It is recommended to review the decking manufacturer's warranty before using cleaners.

Caution:

Keep out of reach of children & pets. Wear gloves, eye protection and avoid contact with clothing. If in eyes, flush with water for several minutes. Get medical attention if irritation persists. If swallowed call a poison center or doctor for advice. Low VOC waterproofing sealer contains <100g/L VOC.

**See how
quick and easy
it is to apply**



Ideal for the following applications and many more:



Deck Joists



Stair Stringers



Deck Carrying Beams



Deck Posts



Ground Contact Coating™

Rot-Resistant Waterproof Barrier

FastenMaster Ground Contact Coating extends the life of your pressure treated lumber. Great for use on deck & fence posts, landscaping timbers, stair stringers, lattice and more

Features:

- Specifically formulated for ground contact applications
- Resists insects and fungus that cause ground rot
- Quick dry formula goes on white and dries clear

Packaging Quantities:

1/2 gallon bucket



Ground Contact Coating Selection Guide		
Description	Coverage	SKU
1/2 gallon bucket	40 SF or approximately 14 posts	FMGCC-64OZ

For a full written warranty, additional engineering data and technical support visit FastenMaster.com.
 *Approximate coverage per gallon at 10mil or 0.25mm dry film thickness
 **High temperature and / or high humidity may extend set time.

Application:

FastenMaster's Ground Contact Coating can be applied using a standard bristle paint brush or a heavy duty, 3/8" nap roller. For full protection apply two coats. Wait until the first coat dries from white to clear, and then apply second coat. Product is ready for contact with ground when coating is clear. (Up to 2-4 hours)

- Apply in temperatures above 40 °F/4 °C.
- **Protect from freezing prior to use.**
- First coat dries in as little as 20 minutes
- Full cure in 24 hours @ 70°F/21°C and 50% humidity.* *
- Do not apply to dirty/contaminated or wet surfaces.

Clean Up:

Clean skin or building materials using soap & warm water. Mineral oil or Baby Oil can be used.

Caution:

KEEP OUT OF REACH OF CHILDREN AND PETS.
 May cause skin irritation. Avoid contact with eyes, flush with water if contact occurs. Get medical attention if symptoms develop. Contains ingredients that may cause allergic skin reaction. If skin reaction occurs, discontinue use. Low VOC waterproofing sealer contains <100g/L VOC.

Coating goes on white and dries clear



Apply with a roller or brush



Coating Dries Clear

See how quick and easy it is to apply



Ideal for the following applications and many more:



Deck Posts



Stair Stringers




Fences



Lattice

Framing Systems

Drive productivity with tools and fasteners that make new construction more safe and efficient.



Frame Faster, Safer, and Easier with FastenMaster Framing Systems

For over twenty years, FastenMaster has delivered innovative structural wood-to-wood fastening solutions that increase installation speed and safety. We're driven by a relentless commitment to the professional builder. This PRO Driven focus is why FastenMaster is a trusted brand of framing contractors and structural design engineers. FastenMaster Framing Systems are designed to drive job site productivity by making new construction safer and more efficient.

FrameFAST™ Structural Framing System	45
• Installs 5x faster than traditional connectors • Available in corded and cordless power options • Increases safety by eliminating ladders	
NLB Connector™ for Non-Load Bearing Walls	47
• Installs 8x faster than channel brackets • Accommodates up to 1-1/2" gap at the top of non-load bearing walls • No predrilling	
PAMFast™ AutoFeed Fastening System	49
• 2-in-1 whole home fastening solution • Available in corded and cordless power options • Extensive offering of fastener varieties enables PAMFast to drive screws anywhere you do	
PAMFast™ AutoFeed Screws	51
• PAMFast Fasteners: Featuring PAMDrive 6-lobe recess for improved bit life and fewer cam-outs • Drives productivity on the job site: faster installation and ergonomic, ease of use benefits • PAMMax fastener belt holds up to 40% more fasteners so workers spend more time driving screws and less time reloading	



FrameFAST™

Structural Framing System

- Features:**
- 5x Faster: Code approved connections are made in a fraction of the time verses installing a hurricane clip.
 - Easy to Install: Featuring a TORX® ttap® drive and free alignment guide included in every package.
 - ProjectLife™ Guarantee: Performance and corrosion protection is guaranteed for the life of the project.
 - Approved for use in exterior applications including pressure treated wood(ACQ). Not recommended for use in saltwater applications.




The FrameFAST Fastener:
FrameFAST™ replaces common hurricane ties and is installed without the need for compressors, nailers, and hoses. The updated FrameFAST Fastener empowers PROs with the choice of using a standard impact driver or the award winning FrameFAST Tool.

Lengths: 6"

Packaging Quantities:
50pc box, 250pc bucket



FrameFAST Fastener		
Description	SKU	Package Contains
FrameFAST with TORX® ttap® 50 piece box	FMFFT006-50	(50) fasteners (1) alignment guide (1) TORX® ttap® driver bit - 2"
FrameFAST with TORX® ttap® 250 piece box	FMFFT006B-250	(250) fasteners (1) alignment guide (1) TORX® ttap® driver bit - 2" (1) TORX® ttap® driver bit - 6"



- FrameFAST Tools:**
- Maximize safety and productivity with the FrameFAST installation tool.
 - Make code compliant connections without the use of a ladder.
 - 3 interchangeable heads ensure consistent installation of the fastener in a variety of continuous load path applications.
 - Fully assembled tools complete with cordless drivers by Milwaukee and DeWALT
 - Scan the QR code for more information and to see FrameFAST tool in action.



FrameFAST Installation Tools	
Description	SKU
FF Cordless DeWALT	FMFFT00LT2TP-DWC
FF Cordless Milwaukee	FMFFT00LT2TP-MILC

Additional Installation Heads	
Description	SKU
Truss-to-Top-Plate Head	FMFFHEAD-T2TP
Stud-to-Plate Head	FMFFHEAD-S2P
Plate-to-Rim Head	FMFFHEAD-P2R



LEARN MORE ABOUT FRAMEFAST



NLB Connector™

For Non-Load Bearing Wall to Truss Connections



Features:

- No predrilling
- Installs 8x faster than channel brackets
- Allows up to 1-1/2" gap between the top of non-load bearing walls and trusses / joists above
- Free drive/set tool in every package

Lengths: 6"

Packaging Quantities:
50pc box

Description:

The NLB Connector™ is the fastest and easiest way to secure the top of non-load bearing walls to trusses and joists above. This code-compliant connection allows for vertical deflection of the bearing members above, without transferring load into the interior partition walls below.

The NLB Connector accommodates up to a 1-1/2" gap between the top of the wall and the bearing member above. This enables framers to use the same precut stud lengths as the bearing walls, and because there is no need to predrill, it's twice as fast as other non-load bearing wall connectors on the market.



NLB Selection Guide	
Description	SKU
NLB Connector (50 pack)	FMNLB006-50


Installation Procedure

1. Attach the NLB Setting Tool w/Driver bit to an 18" driver bit extension pole (not included).
2. Insert the head of the NLB Connector into the magnetic driver bit.
3. Confirm connection locations based on plan drawings or refer to the Allowable Lateral Load Pounds per Connection table below.
4. Position the NLB Connector below the top plate of the wall such that it will drive through the wall plate and upward into the intersecting framing member above.
5. On the highest drill speed setting, drive directly upward through the wall plate and into the truss/joist above until the fastener automatically disengages from the driver bit.



Allowable Lateral Load per Connection based on Plate Configuration and Gap Between Top Plate and Framing							
	Single Top Plate					Double Top Plate	
Max. Gap	0"	1/4"	1/2"	3/4"	1-1/2"	3/4"	1-1/2"
Load (lbs)	275	240	210	175	115	175	115

- Minimum thread embedment of 1/2" into wood truss with minimum size 1-1/2" x 3-1/2"
- In 0" gap condition, truss or wood structural member must bear on top plate of partition wall
- Load duration factor of 1.6 applied for short term wind loads. No further increase allowed
- NLB Connectors can be used on wood I-joist where EV manufacturer's recommendations to predrill or add blocking are followed





PAMFast™ Autofeef Fastening System

- Features:**
- 2-in-1 interchangeable length tool is a versatile whole home fastening system
 - Smooth Advancement Technology delivers consistent fastening with no jams
 - PAMMax fastener belt holds up to 40% more fasteners so workers spend more time driving screws and less time reloading
 - Fasten subfloor and decking while standing comfortably or convert to a short tool for drywall, roof tiles, and more
 - Fully assembled tools come complete with cordless screw guns by DeWALT and Makita



Description:
The smoothest, most versatile PRO grade screw delivery system is now available with cordless power. PAMFast tools come fully assembled with high power screw guns from DeWALT, Makita, or Milwaukee, or choose a kit that is specially engineered to fit your drill. All PAMFast tools include long/ short conversion pieces and are compatible with all genuine PAMFast collated screws.

SKU	Compatible Motor	Power Type
SD-20-DWC13KUE*	DeWALT DCF622B	Cordless
SD-20-MAC13KUE*	Makita XSF04Z	Cordless
SD-20-DW13KUE	DeWALT DW268	Corded
SD-20-DWC13KIT**	DeWALT DCF622B	Cordless
D-20-MAC13KIT**	Makita XSF04Z	Cordless


*Batteries/charger sold separate **Kit only (no screw gun)



The Whole Home Fastening Solution!
PAMFast is a 2-in-1 interchangeable length tool. The removable extension pole enables easy long-to-short conversion for a variety of fastening needs. Fasten subfloor and decking while standing comfortably, or convert to a short tool to fasten drywall, roof tiles, and more.



AutoFeef Gun Features:





PAMFast™

Autofeed Screws

- Features:**
- PAMFast Fasteners: Featuring PAMDrive 6-lobe recess for improved bit life and fewer cam-outs
 - Drives productivity on the job site: faster installation and ergonomic, ease of use benefits
 - PAMMax fastener belt holds up to 40% more fasteners so workers spend more time driving screws and less time reloading

Packaging Quantities:
50 screws per strip, 1,000 screws per box


Interior Wood Screws			
✦ Wood to Wood Subfloor PAMDrive, 2/3 Coarse Fast Thread, Yellow Zinc, X- point			
	#8 x 1 1/4"	flat head	WCYZ8114
	#8 x 1 1/2"	flat head	WCYZ8112
	#8 x 1 3/4"	flat head	WCYZ8134F
	#8 x 2"	flat head	WCYZ8200F
	#8 x 2 1/2"	flat head	WCYZ8212F
	#8 x 3"	flat head	WCYZ8300F
✦ High Density Wood (Advantech®) to Wood PAMDrive, Full Coarse Thread, Yellow Zinc, X-Point			
	#8 x 1 3/4"	flat head	FDYZ8134
	#8 x 2"	flat head	FDYZ8200
✦ Wood to Wood Underlayment #2 Philips Drive, Hi-Lo Thread, Black Phosphate			
	#7 x 1"	modified trim head with nibs	**MTH7100
	#7 x 1 1/4"	modified trim head with nibs	MTH7114

Cement Fiber Board/Siding to Wood			
✦ Cement Fiberboard/Siding to Wood ACQ PAMDrive, Coarse Thread, Copperhead External Grade Coating			
	#8 x 1 3/4"	modified wafer head with flutes	MWMC8114
	#8 x 1 5/8"	modified wafer head with flutes	MWMC8158
Exterior Decking Screws			
✦ Pressure Treated Decking to Wood ACQ PAMDrive, 2/3 Coarse Thread, Type 17 or X-Point, Stainless Steel or Copperhead External Grade Coating			
	#8 x 1 3/4"	flat head	WDCH8134
	#8 x 2"	flat head	WDCH8200
	#8 x 2 1/2"	flat head	WDCH8212
	#8 x 3"	flat head	WDCH8300
	#8 x 2 1/2"	trim head	**THCH8212
	#10 x 3"	flat head - 316 SS	**WDSS1003
✦ TrapEase 3 Collated Screws Composite Decking to Wood			
	#8 x 2 1/2"	brown	FMAFTR3-212-1000BR
	#8 x 2 1/2"	gray	FMAFTR3-212-1000GY
	#8 x 2 1/2"	dark brown	FMAFTR3-212-1000DB
Drywall to Wood Screws			
✦ Drywall to Wood #2 Phillips Drive, Coarse Thread, Black Phosphate			
	#6 x 1 1/4"	bugle head	GCBP6114
	#6 x 1 5/8"	bugle head	GCBP6158
	#7 x 2"	bugle head	GCBP7200
	#8 x 2 1/2"	bugle head	GCBP8212

Roof Tile Screws			
✦ Roofing Tile to Wood ACQ PAMDrive, 2/3 Coarse Thread, Stainless Steel or Copperhead. Miami Dade Co Certification #L 09-0720.14			
	#8 x 2 1/2"	flat head	WTDC8212
	#8 x 2 1/2"	flat head (Darco Coating)	WDCC8212
	#8 x 2 1/2"	bugle head	**WDSB8212

NEW Cortex Collated Deck Screws!
Cortex Screws can now be installed through the PAMFast™ AutoFeed Tool dramatically reducing installation time!

<



Trex Deck Color Matching Guide

Board Collection	Board Color	Cortex Products		TrapEase Products	
		Deck	Fascia	Color Match	Code
Trex Transcend®	Havana Gold	TSHG	50TSHG	Brown	BR
	Island Mist	TSLM	50TSLM	Dark Gray	DG
	Lava Rock	TSLR	50TSLR	Dark Brown	DB
	Rope Swing	TSRS	50TSRS	Tan	TN
	Spiced Rum	TSSR	50TSSR	Brown	BR
	Tiki Torch	TSTT	50TSTT	Light Brown	LB
Trex Select®	Saddle	SLSD	50SLSD	Light Brown	LB
	Pebble Grey	SLPB	50SLPB	Gray	GY
	Malted Barley	SLMB	50SLMB	Tan	TN
	Millstone	SLMS	50SLMS	Gray	GY
	Whiskey Barrel	SLWK	50SLWK	Brown	BR
Trex Enhance®	Golden Hour	ENGH	50ENGH	Light Brown	LB
	Foggy Wharf	ENFW	50ENFW	Gray	GY
	Rocky Harbor	ENRH	50ENRH	Light Gray	LG
	Toasted Sand	ENTS	50ENTS	Brown	BR
	Pebble Beach	ENPH	50ENPH	Gray	GY
	Clam Shell	ENCS	50ENCS	Dark Gray	DG
	Saddle	ENSD	50ENSD	Light Brown	LB
	Honey Grove	ENHY	50ENHY	Tan	TN
	Tide Pool	ENTP	50ENTP	Light Gray	LG
	Cinnamon Cove	ENCC	50ENCC	Brown	BR
Trex Signature®	Ocracoke	SGCK	50SGCK	Brown	BR
	Whidbey	SGWD	50SGWD	Gray	GY
Trex® Transcend Lineage™	Island Mist	LNLM	50LNLM	Dark Gray	DG
	Biscayne	TSBC	50TSBC	Light Gray	LG
	Rainier	TSRN	50TSRN	Light Gray	LG
	Carmel	TSCM	50TSCM	Tan	TN
	Jasper	TSJP	50TSJP	Brown	BR
	Salt Flat	LSNF	50LSNF	Ivory	VY
	Hatteras	LNHT	50LNHT	Brown	BR
Trex Universal White		N/A	N/A	N/A	WH

Fiberon Deck Color Matching Guide

Board Collection		Board Color	Cortex Products		TrapEase Products	
			Deck	PSS	Color Match	Code
PVC DECKING	Paramount	Brownstone	100PMBS	400PMBS	Brown	BR
		Clay	100PMCL	400PMCL	Tan	TN
		Mineral	100PMMN	400PMMN	Gray	GY
		Sandstone	100PMSS	400PMSS	Light Gray	LG
	Promenade	Moonlit Cove	100PRMC	400PRMC	Gray	GY
		Natural Reef	100PRNR	400PRNR	Light Brown	LB
		Russet Dune	100PRRD	400PRRD	Brown	BR
		Sandy Pier	100PRSP	400PRSP	Light Brown	LB
		Shaded Cay	100PRSC	400PRSC	Light Gray	LG
		Weathered Cliff	100PRWC	400PRWC	Dark Brown	DG
COMPOSITE	Concordia	Burnt Umber	100CCBM	360CCBM	Brown	BR
		Castle Gray	100CCCG	360CCCG	Light Gray	LG
		Graphite	100CCGP	360CCGP	Dark Gray	DG
		Ipe	100CCPE	360CCPE	Light Brown	LB
		Seaside Mist	100CCSM	360CCSM	Light Gray	LG
		Mountain Ash	100CCMA	360CCMA	Brown	BR
		Warm Sienna	100CCWS	360CCWS	Brown	BR
		Prairie Wheat	100CCPW	360CCPW	Tan	TN
	Good Life	Beach House	100GLBH	360GLBH	Dark Gray	DG
		Bungalow	100GLBL	360GLBL	Brown	BR
		Cabana	100GLCN	360GLCN	Light Gray	LG
		Cabin	100GLCB	360GLCB	Brown	BR
		Cottage	100GLCT	360GLCT	Gray	GY
		Tuscan Villa	100GLTV	360GLTV	Light Brown	LB
	Sanctuary	Chai	100SNCH	360SNCH	Light Gray	LG
		Earl Grey	100SNEG	360SNEG	Dark Brown	DB
		Espresso	100SNEP	360SNEP	Brown	BR
		Latte	100SNLT	360SNLT	Brown	BR
		Moringa	100SNMR	360SNMR	Light Brown	LB

Reference SKU chart on page 57 Reference SKU chart on page 57

TimberTech Composite Deck Color Matching Guide

Board Collection	Board Color	Cortex Products		TrapEase Products	
		Deck	Fascia	Color Match	Code
Legacy®	Tigerwood	TW	TW	Light Brown	LB
	Mocha	MC	MC	Dark Brown	DB
	Espresso™	EP	EP	Dark Gray	DG
	Ashwood	AS	AS	Dark Gray	DG
	Whitewash Cedar®	WC	WC	Ivory	IV
	Pecan	PC	PC	Brown	BR
Reserve®	Driftwood	DW	DW	Gray	GR
	Antique Leather®	AL	AL	Brown	BR
	Dark Roast®	DR	DR	Dark Brown	DB
	Reclaimed Chesnut™	RC	RC	Tan	TN
Terrain+®	Natural White Oak	NW	NW	Tan	TN
	Dark Oak	DO	DO	Dark Brown	DB
	Weathered Oak	WO	WO	Gray	GR
Terrain®	Stone Ash	N/A	N/A	Light Gray	LG
	Rustic Elm	N/A	N/A	Dark Brown	DB
	Sandy Birch	N/A	N/A	Tan	TN
	Brown Oak	N/A	N/A	Dark Brown	DB
	Silver Maple	N/A	N/A	Dark Gray	DG
Premier/Prime®	Maritime Gray™	MG	MG	Gray	MG
	Dark Teak	DT	DT	Dark Brown	DB
Prime+®	Coconut Husk®	CH	CH	Brown	BR
	Sea Salt Gray	ST	ST	Light Gray	LG
	Dark Cocoa	DC	DC	Dark Brown	DB
TrapEase Fascia available in White		N/A	N/A	White	N/A

TimberTech Composite Selection Guide			
Board	Coverage	Description	SKU
TimberTech Composite	100 SF	224 screws, 240 plugs, 2 setting tools	CTC100LF**
	300 SF	1050 screws, 1200 plugs, 6 setting tools	CTC300SF**

TimberTech Advanced PVC Deck Color Matching Guide

Board Collection	Board Color	Cortex Products		TrapEase Products	
		Deck	Fascia	Color Match	Code
Vintage®	Dark Hickory	DH	N/A	Dark Brown	DB
	Mahogany	MH		Brown	BR
	Coastline®	CS		Light Gray	LG
	English Walnut®	EW		Brown	BR
	Weathered Teak®	WT		Light Brown	LB
	Cypress	CY		Tan	TN
Landmark®	American Walnut®	AW	N/A	Dark Brown	DB
	Castle Gate™	CG		Dark Gray	DG
	French White Oak®	FW		Tan	TN
	Boardwalk®	BD		Light Gray	LG
Harvest®	Brownstone	BS	N/A	Tan	TN
	Slate Gray	SG		Light Gray	LG
	Kona®	KO		Dark Brown	DB
Harvest+®	Toasted Wheat	TW	N/A	Tan	TN
	Timber Gray	BG		Light Gray	LG

TimberTech Advanced PVC Selection Guide			
Board	Coverage	Description	SKU
TimberTech Advanced PVC	100 SF	350 screws, 400 plugs, 3 setting tools	CTC100SF**
	300 SF	1050 screws, 1200 plugs, 6 setting tools	CTC300SF**

Deck and Trim Product Numbers

Collated Cortex Decking Kits			
Board	Coverage	Contents	SKU
Trex	100 LF	224 screws, 240 plugs, 2 setting tools	FMCTXCLTX1LF****
	300 SF	1050 screws, 1200 plugs, 6 setting tools	FMCTXCLTX300****
Fiberon PVC	100 SF	350 screws, 400 plugs, 3 setting tools	FMCTXCLFB****
Fiberon Composite	100 SF	350 screws, 360 plugs, 3 setting tools	FMCTXCLFB****

**Selecting SKU/Board Color: When ordering, combine SKU column with deck color match guide on page 53. Example: Trex Select 300 SQFT Saddle = FMCTXCLTX300SLSD



Cortex Screws Only				
Screw Packs	Length	SKU	Coverage	Packaging Quantity
316 Stainless Steel	2-1/2"	FMCTX212SS316-350	100 SF	350 screws, 1 setting tool
Driller	1-5/8"	FMCTXD-100NP		

Cortex Collated AutoFeed Screws				
Screw Packs	Length	SKU	Coverage	Packaging Quantity
Cortex Collated	2-1/2"	FMCTX212-AF1050	300 SF	1,050 Screws, 1 Driver Bit, 2 Nose Guards and 1 Depth Guide
Cortex Collated SS		FMCTX212-AF1050SS		1,050 SS Screws, 1 Driver Bit, 2 Nose Guards and 1 Depth Guide

Collated Cortex Plugs Only		
Board	Contents	SKU
Trex	400 plugs, 1 setting tool	FMCTXQUAD-400****
	80 ct replacement plugs	FMCTXQUAD-TX80****
Fiberon PVC	400 plugs, 1 setting tool	FMCTXQUAD-FB****
Fiberon Composite	360 plugs, 1 setting tool	FMCTXQUAD-FB****



**Selecting SKU/Board Color: When ordering, combine SKU column with deck color match guide on page 53. Example: Trex Transcend Island Mist = FMCTXQUAD-400TSLM



Cortex FASCIA Selection Guide			
Length	Packaging Quantity	Coverage	SKU
1-3/4"	100 screws, 105 plugs, 1 counterbore tool, 1 setting tool	50 LF	Trex: FMCTXF-TX50****

TrapEase FASCIA Selection Guide			
Length	Packaging Qty	Coverage	SKU
1-3/4"	200 Screws, 1 Counterbore Tool, 1 Driver Bit	100 LF	FMTEF-1LF**

****When ordering, combine SKU column with deck color match guide on page 53.



Deck and Trim Product Numbers

Cortex Trim Selection Guide						
			2" Fastener		2-3/4" Fastener	
Board	Color	Coverage	Loose Plugs	Collated Plugs	Loose Plugs	Collated Plugs
Versatex	SM = Smooth TR = Timber Ridge	50 LF	N/A	FMCTXTCL-VT50**	N/A	FMCTXCL234-VT5**
		250 LF	N/A	FMCTXTCL-VT250**	FMCTXT234-VT250**	FMCTXTCL234-VT2**
		750 LF	N/A	FMCTXTCL-VT750**	FMCTXT234-VT750**	FMCTXTCL234-VT7**
Royal	SM = Smooth GN = Grain	50 LF	FMCTXT-RY50**	N/A	FMCTXT234-RY50**	N/A
		250 LF	FMCTXT-RY250**	FMCTXTCL-RY250**	FMCTXT234-RY250**	FMCTXTCL234-RY250**
		750 LF	FMCTXT-RY750**	FMCTXTCL-RY750**	FMCTXT234-RY750**	FMCTXTCL234-RY750**
Royal Select		250 LF	N/A	N/A	N/A	FMCTXTCL234-C2**
		FT = Frost LT = Latte WR = Wrought Iron CN = Chestnut NA = Oceana PB = Pine Brook GV = Grove WL = Willow SL = Shale CL = Coastline CS = Castlestone RR = River Rock MP = Imperial Red TL = Timberland DP = Deep Pewter				
Boral	SM = Smooth GN = Grain	50 LF	FMCTXT-BR50TE**	N/A	FMCTXT234-BR50TE**	N/A
		250 LF	FMCTXT-BR250TE**	N/A	FMCTXT234-BR2TE**	N/A
		750 LF	FMCTXT-BR750TE**	N/A	FMCTXT234-BR7TE**	N/A
Cortex #20 TORX® Itap® driver bits (2 Pack of Setting Tools)						FMCTXSETTOOL3-2PK

**Selecting SKU/Board Color
When ordering, please combine SKU column with board manufacturer color key.
Example: Cortex 250 LF fastener length 2-3/4" for Versatex Smooth = FMCTXT234-VT250SM

NEW Color Matches for TrapEase Decking & Fascia Fasteners							
NEW Color		Originally		NEW Color		Originally	
	Light Brown (LB)		Saddle		Gray (GR)		Pebble
	Brown (BR)		Spiced Rum		Dark Gray (DG)		Clam Shell
	Dark Brown (DB)		Woodland Brown		Tan (TN)		Rope Swing
	Light Gray (LG)		Rocky Harbor		Ivory (VY)		NEW COLOR



TrapEase & Fascia Selection Guide				
SKU	Material	Length	Coverage	Pack Quantity
FMTEF-212-75**	Carbon Steel	2-1/2"	20 SF	75 screws, 1 driver bit
FMTEF-212-350**			100 SF	350 screws, 2 driver bits, FREE Spotter Lid
FMTEF-212-1050**			300 SF	1050 screws, 3 driver bits
FMTEF-003-350**	Stainless Steel	3"	100 SF	350 screws, 2 driver bits, FREE Spotter Lid
FMTEF-212-350SS**		2-1/2"		

**Selecting SKU/Board Color
When ordering, please combine SKU column with board manufacturer color key
Example: TrapEase 100SF for Light Brown – FMTEF-212-350LB




Deck and Trim *Product Numbers*

FastenMaster ZipClip Selection Guide		
SKU	Coverage	Packaging Quantity
FMZIPCLIP-100	100 SF	180 ZipClips, T15 Driver Bit
FMZIPCLIP-300	300 SF	540 ZipClips, (2) T15 Driver Bits
FMZIPCLIP-500	500 SF	900 ZipClips, (4) T15 Driver Bits



FastenMaster Gapper	
SKU	Packaging Quantity
FMGAPPER-2PK	2 Gapper tools, 4 additional spacers



FastenMaster ZipStick	
SKU	Packaging Quantity
FMZIPSTICK	1 FastenMaster ZipStick, 1 T15 Driver Bit



Deck and Trim *Product Numbers*

Tiger Claw Clips and Fasteners			
Description	Coverage	Length	SKU
Tiger Claw TC-G 90pc Bag (for hand driving clips)	50 SF	1-5/8"	F-4058-TCGS
Tiger Claw TC-G Bulk Gun Pail (scrail not included)*	500 SF	N/A	F-5913-GNFS
Tiger Claw Scrail - Carbon Steel*	500 SF	1-1/2"	F-5906-GNSC
Tiger Claw Scrail - Stainless Steel*	500 SF	1-1/2"	F-6557-SSPS
Tiger Claw Butt Seam Clips	30 SF	1-5/8"	F-5969-TCBC



Tiger Claw Clip Installation Tools	
Description	SKU
Installation Gun for use with F-5906-GNSC and F-6557-SSPS pneumatic scrails	F-5899-IGUN
TC-G Slot Cutter specifically designed to cut grooves into square edge decking	R-5206-RB3VV

*For use with Tiger Claw Pneumatic Installation Gun

GuardDog SKU Selection Guide							
Length	Packaging Qty	Coverage	SKU	Length	Packaging Qty	Coverage	SKU
1-5/8"	75pc box	20 SF	FMGD158-75	3"	75pc box	20 SF	FMGD003-75
	350pc box	100 SF	FMGD158-350		350pc box	100 SF	FMGD003-350
	1,750pc bucket	500 SF	FMGD158-1750		1,750pc bucket	500 SF	FMGD003-1750
2"	75pc box	20 SF	FMGD002-75	3-1/2"	75pc box	20 SF	FMGD312-75
	350pc box	100 SF	FMGD002-350		350pc box	100 SF	FMGD312-350
	1,750pc bucket	500 SF	FMGD002-1750		1,350pc bucket	350 SF	FMGD312-1350
2-1/2"	75pc box	20 SF	FMGD212-75	Driver bit for GuardDog w/ TORX Itap drive system (2 included)			FMGDTTAPT25-2PK
	350pc box	100 SF	FMGD212-350				
	1,750pc bucket	500 SF	FMGD212-1750				

*Coverage based on 16" o.c. joist spacing and 5-1/2" wide decking



Structural Wood Fasteners *Product Numbers*

TimberLOK SKU Selection Guide					
Length	Packaging Qty	SKU	Length	Packaging Qty	SKU
2-1/2"	Single fastener	FMTLOK212-INDY	8"	Single fastener	FMTLOK08-INDY
	12pc clamshell	FMTLOK212-12		12pc clamshell	FMTLOK08-12
	50pc box	FMTLOK212-50		50pc box	FMTLOK08-50A
	500pc bucket	FMTLOK212-500		250pc bucket	FMTLOK08-250
4"	Single fastener	FMTLOK04-INDY	10"	Single fastener	FMTLOK10-INDY
	12pc clamshell	FMTLOK04-12		12pc clamshell	FMTLOK10-12
	50pc box	FMTLOK04-50		50pc box	FMTLOK10-50A
	250pc bucket	FMTLOK04-250		250pc box	FMTLOK10-250
6"	Single fastener	FMTLOK06-INDY			
	12pc clamshell	FMTLOK06-12			
	50pc box	FMTLOK06-50			
	250pc bucket	FMTLOK06-250			



Deck Frame Coating Selection Guide		
Description	Coverage	SKU
1 gallon bucket	450 LF	FMDFC-1 GAL

Ground Contact Coating Selection Guide		
Description	Coverage	SKU
1/2 gallon bucket	40 SF	FMGCC-64OZ

For a full written warranty, additional engineering data and technical support visit FastenMaster.com.
*Approximate coverage per gallon at 20mil or .5mm dry film thickness
**High temperature and / or high humidity may extend set time.

Structural Wood Fasteners *Product Numbers*

HeadLOK Standard Selection Guide		
Length	Packaging Qty	SKU
2-7/8"	Single fastener	FMHLGMTT278-INDY
	12pc clamshell	FMHLGMTT278-12
	50pc box	FMHLGMTT278-50
	500pc bucket	FMHLGMTT278-500
4-1/2"	Single fastener	FMHLGMTT412-INDY
	12pc clamshell	FMHLGMTT412-12
	50pc box	FMHLGMTT412-50
	250pc bucket	FMHLGMTT412-250
6"	Single fastener	FMHLGMTT006-INDY
	12pc clamshell	FMHLGMTT006-12
	50pc box	FMHLGMTT006-50
	250pc bucket	FMHLGMTT006-250
8"	Single fastener	FMHLGMTT008-INDY
	12pc clamshell	FMHLGMTT008-12
	50pc box	FMHLGMTT008-50
	250pc bucket	FMHLGMTT008-250
10"	Single fastener	FMHLGMTT010-INDY
	12pc clamshell	FMHLGMTT010-12
	50pc box	FMHLGMTT010-50
	250pc bucket	FMHLGMTT010-250

Additional Length Selection Guide		
Length	Packaging Qty	SKU
3-3/4"	50pc bucket	FMHLGMTT334-50
	250pc bucket	FMHLGMTT334-250
5"	250pc bucket	FMHLGMTT005-250
7"	250pc bucket	FMHLGMTT007-250
8"	250pc bucket	FMHLGMTT008-250
9"	250pc bucket	FMHLGMTT009-250
10"	250pc bucket	FMHLGMTT010-250
11"	250pc bucket	FMHLGMTT011-250
12"	250pc bucket	FMHLGMTT012-250
13"	250pc bucket	FMHLGMTT013-250
14"	250pc bucket	FMHLGMTT014-250

HeadLOK TORX Itap Bits	
2 TORX® Itap® bits per card	FMTTAPT30BIT-2PK



Structural Wood Fasteners *Product Numbers*

LedgerLOK SKU Selection Guide			
Length	Packaging Qty	Hex Style SKU	Flathead SKU
3-5/8"	Single Fastener	FMLL358-INDY	FMLLF358-12INDY
	12pc clamshell	FMLL358-12	FMLLF358-12
	50pc box	FMLL358-50	FMLLF358-50
	250pc bucket	FMLL358B-250	FMLLF358B-250
5"	Single Fastener	FMLL005-INDY	FMLLF005-INDY
	12pc clamshell	FMLL005-12	FMLLF005-12
	50pc box	FMLL005-50	FMLLF005-50
	250pc bucket	FMLL005B-250	FMLLF005B-250



ThruLOK SKU Selection Guide			
Length	Wood Dim Range	Pkg Qty	SKU
6-1/4"	4-1/2" to 5-1/4"	Single Fastener	FMTHR614-INDY
		24pc box	FMTHR614-24
7"	5-1/4" to 6"	Single Fastener	FMTHR007-INDY
		24pc box	FMTHR007-24
8"	6-1/4" to 7"	Single Fastener	FMTHR008-INDY
		24pc box	FMTHR008-24
9-1/2"	7-3/4" to 8-1/2"	Single Fastener	FMTHR912INDY



VersaLOK SKU Selection Guide		
Length	Pkg Qty	SKU
6"	Single Fastener	FMVL006-INDY
	50pc box	FMVL006-50
8"	Single Fastener	FMVL008-INDY
	50pc box	FMVL008-50
10"	Single Fastener	FMVL010-INDY
	50pc box	FMVL010-50

Structural Wood Fasteners *Product Numbers*

FlatLOK SKU Selection Guide			
Length	Typical Applications	Packaging Qty	SKU
2-7/8"	2-Ply Roof Girder Trusses	50pc box	FMFL278-50
		500pc bucket	FMFL278B-500
3-1/2"	2-Ply LVL Beams	Single fastener	FMFL312-INDY
		50pc box	FMFL312-50
		250pc bucket	FMFL312B-250
4"	Interior Corridor Ledgers	50pc box	FMFL004-50
		250pc bucket	FMFL004B-250
4-1/2"	3-Ply Roof Girder Trusses	50pc box	FMFL412-50
		250pc bucket	FMFL412B-250
5"	3-Ply LVL Beams	Single fastener	FMFL005-INDY
		50pc box	FMFL005-50
		250pc bucket	FMFL005B-250
6"	4-Ply Roof Girder Trusses	50pc box	FMFL006-50
		250pc bucket	FMFL006B-250
6-3/4"	4-Ply LVL Beams	Single fastener	FMFL634-INDY
		50pc box	FMFL634-50
		200pc bucket	FMFL634B-200



MarineLOK SKU Selection Guide		
Length	Pkg Qty	SKU
3"	30pc box	FMMLOK003-30
4"		FMMLOK004-30
5"		FMMLOK005-30
6"		FMMLOK006-30
8"		FMMLOK008-30
10"		FMMLOK010-30



Wood Framing Systems *Product Numbers*

FrameFAST Product Offerings					
Fastener		Tools		Additional Heads	
Description	SKU	Tool Description	SKU	Head Description	SKU
New 50 pc. box w/TORX ttap 2" drive bit	FMFFTT006-50	FF Cordless Milwaukee	FMFFTOOLT2TP-MILC	Truss to Top Plate Head	FMFFHEAD-T2TP
		FF Cordless DeWALT	FMFFTOOLT2TP-DWVC	Stud to Plate Head	FMFFHEAD-S2P
250 pc. Bucket w/TORX ttap 2" & 6" drive bit	FMFFTT006B-250			Plate to Rim Head	FMFFHEAD-P2R

All FrameFAST Tools include (2) replacement TORX® ttap® drive bits and the FrameFAST Truss-to-Top-Plate head. Cordless tools do not include battery or charger.



PAMFast Product Offerings		
SKU	Compatible Motor	Power Type
SD-20-DWC13KUE*	DeWALT DCF622B	Cordless
SD-20-MAC13KUE*	Makita XSF04Z	Cordless
SD-20-DW13KUE	DeWALT DW268	Corded
SD-20-DWC13KIT**	DeWALT DCF622B	Cordless
D-20-MAC13KIT**	Makita XSF04Z	Cordless

*Batteries/charger sold separate **Kit only (no screw gun)



See PAMFast AutoFeed Screw listings on page 51-52



NLB Connector SKU Selection Guide	
Description	SKU
NLB Connector (50 pack)	FMNLB006-50

Lateral Tension System Selection Guide	
Contents	SKU
(4) Lateral Tension Brackets, (4) Transfer Screws, (32) Bracket Mounting Screws, (2) Driver Bits	FMLTS-4

Wood Framing Systems *Product Numbers*

PAMFast Autofeed Tool		
SKU	Compatible Motor	Power Type
SD-20-DWC13KUE*	DeWALT DCF622B	Cordless
SD-20-MAC13KUE*	Makita XSF04Z	Cordless
SD-20-DW13KUE	DeWALT DW268	Corded
SD-20-DWC13KIT**	DeWALT DCF622B	Cordless
D-20-MAC13KIT**	Makita XSF04Z	Cordless

*Batteries/charger sold separate **Kit only (no screw gun)



Cordless DeWALT



Cordless Makita



Corded DeWALT

